





BLINDTEX CURTAIN MOTOR WIRE FREE

BLINDTEX CURTAIN MOTOR WIRE FREE




Rated Torque (Nm)	Runing Speed (cm/s)	Radio Frequency (MHz)	Rated Current (A)	Rated Power (W)	Degree Of Protection (IP)	Maximum Limit Turn (turn)	Running Time (min)	Working Temperature (°C)	Maximum Load (kg)	Certification
1.2	20	433	1.10	16	IP20	∞	>4	0°C~40°C	50	CE

FEATURES





- Loading per Maximum Track Length - 50kg
 - Speed - 20cm/s
 - Adjustable Limits - No
 - Soft start, Soft Stop - Yes
 - Approximate Charging Interval (1 open/close cycle per day) - Running cycles 800 times (4m track with 50kgs loading)
 - Charging Time - 10-7 hrs
-
- Scene Control
 - Radio Lock
 - Status Feedback
 - Smartphone Control
 - Preferred Stop Position
 - Program/Reset Button
 - Solar Charging
- Electronic Limit
 - Switch Direction
 - Built-in Receiver
 - Auto Limit Setting
 - Manual Override
 - Stop/Run By Pulling Fabric
 - Dry Contact Input

CONTROL SYSTEM



Mobile Application Via Blindtex Hub Google Home, Alexa

BULK HEAD DEPTH REQUIREMENT





Innov8 Products FZC
Area M6 - 10 SAIF Zone, Sharjah,
United Arab Emirates



Phone: +971 6557 8051



Email: sales@blindtex.com



Web: www.blindtex.com

UNITED KINGDOM
Blindtex LTD

4B Wigan Road, Bolton, Lancashire
BL3 5PZ - United Kingdom
Tel: **+44 1204 954999**
Web: www.blindtex.co.uk
Email: sales@blindtex.co.uk

BAHRAIN

Blindtex Blinds & Curtains WLL

Office 728, Building 33,
Road 1802 Block 318, Exhibition Road Bahrain
Tel: **+973 3222 0440**
Web: www.blindtex.bh
Email: bahrain@blindtex.com