



BLINDTEX HUB



WI-FI BRIDGE

Wi-Fi bridge is a Wi-Fi to RF bi-directional controller with integrated RS485 interface.

It builds a connection via user's Wi-Fi router at home and enables user to control motorised window coverings with designated smartphone applications and interaction with ecosystem such as Amazon Alexa, Google Assistant, etc, via cloud API.

The RS485 interface offers additional integration option into the third party home automation systems.



5V 1A (micro USB)



2.4GHz Wi-Fi, 433MHz



RS485 (RJ11)



0°C ~ 40°C



L 132.2 * W 75 * H 36 (mm)



FC



CE

OTA

Firmware Update



Max. 30 motors



Max. 20 scenes



Max. 20 timers



Max. 20 rooms



Bi-directional Radio Control



One Way Radio Control



Innov8 Products FZC
Area M6 - 10 SAIF Zone, Sharjah,
United Arab Emirates



Phone: +971 6557 8051



Email: sales@blindtex.com



Web: www.blindtex.com

UNITED KINGDOM
Blindtex LTD

4B Wigan Road, Bolton, Lancashire
BL3 5PZ - United Kingdom
Tel: **+44 1204 954999**
Web: www.blindtex.co.uk
Email: sales@blindtex.co.uk

BAHRAIN

Blindtex Blinds & Curtains WLL

Office 728, Building 33,
Road 1802 Block 318, Exhibition Road Bahrain
Tel: **+973 3222 0440**
Web: www.blindtex.bh
Email: bahrain@blindtex.com