



BLINDTEX REMOTES

CONTROL SYSTEMS

TUBULAR & CURTAIN REMOTES



SINGLE - CHANNEL REMOTE

- Battery: 3V CR2450
- Radio frequency: 433.92MHz
- Working temperature: -10°C~+50°C
- Dimension: 130×45×11.5(mm)



15 - CHANNEL REMOTE

- Freely adjustable Max. channels
- Battery: 3V, CR2450
- Radio frequency: 433.92MHz
- Working temperature: -10°C~+50°C
- Dimension: 130×45×11.5(mm)

VENETIAN REMOTES

venetian motor



SINGLE - CHANNEL REMOTE

- With tilt buttons
- Battery: 3V CR2450
- Radio frequency: 433.92MHz
- Working temperature: -10°C~+ 50°C
- Dimension: 130×45×11.5(mm)



15 - CHANNEL REMOTE

- Freely adjustable Max. channels
- With tilt buttons
- Battery: 3V, CR2450
- Radio frequency: 433.92MHz
- Working temperature: -10°C~+50°C
- Dimension: 130×45×11.5(mm)

VERT REMOTES



SINGLE - CHANNEL REMOTE

- With tilt buttons
- Battery: 3V CR2450
- Radio frequency: 433.92MHz
- Working temperature: -10°C~+ 50°C
- Dimension: 130×45×11.5(mm)



15 - CHANNEL REMOTE

- Freely adjustable Max. channels
- With tilt buttons
- Battery: 3V, CR2450
- Radio frequency: 433.92MHz
- Working temperature: -10°C~+50°C
- Dimension: 130×45×11.5(mm)



Innov8 Products FZC
Area M6 - 10 SAIF Zone, Sharjah,
United Arab Emirates



Phone: +971 6557 8051



Email: sales@blindtex.com



Web: www.blindtex.com

Blindtex UK

4B Wigan Road,
Bolton, Lancashire,
BL3 5PZ - UK
Tel: **+44 120 495 4999**
Web: www.blindtex.co.uk
Email: sales@blindtex.co.uk

Blindtex BAHRAIN

Office No. 728, Building No. 33,
Road No. 1802, Block No. 318
Exhibition road, Kingdom of Bahrain
Tel: **+973 3222 0440**
Web: www.blindtex.bh
Email: bahrain@blindtex.com