








## PENCIL PLEAT CURTAINS

Fullness	200%
Top Hem	78mm
Left - Right Hem	40mm
Bottom Hem	80mm



### Note:

The Top Hem has a 50mm inner folding with a gap from the top of the hem to the start of the tape, which is 15mm (See Fig. 1) The tape is 63mm(See Fig. 2)

# CURTAINS

## Technical Specifications

### DOUBLE PINCH PLEAT CURTAINS


Fullness	200%
Top Hem	100mm
Left - Right Hem	40mm
Bottom Hem	80mm



Double Pinch Pleat Curtains



Top Hem



Side & Bottom Hem




Lining is going towards the bottom Hem


Section View



Front Side Hidden Stitch




Panel Joining (Over Locked)



Microflex hook adjustable in height made of high grade synthetic material

Microflex Hook - 75mm



Tape - 100mm

#### PINCH PLEAT OPTIONS

##### Pinch Depth

100mm	standard
150mm	upon request

STANDARD

150mm




#### Note:


Hook Spacing varies depending on the width of the curtains

## EYELET CURTAINS


Fullness	200%
Top Hem	100mm
Left - Right Hem	40mm
Bottom Hem	80mm



Eyelet Curtains



Top Hem




Side & Bottom Hem



Lining is going towards the bottom Hem


Section View



Front Side Hidden Stitch



Panel Joining (Over Locked)




Tape - 100mm

### Note:


The distance between the eyelets varies depending on the width of the curtains

## EYELET COLOUR OPTIONS

Outer Diameter of an Eyelet	60mm
Inner Diameter of an Eyelet	40mm
Top of Fabric to Inner Eyelet	30mm



### EYELETS ARE AVAILABLE IN:



### Note:

The distance between the eyelets varies depending on the width of the curtains

### Disclaimer:


All dimensions are approximate and can be changed without notice at our discretion.

## PINCH WITH EYELET CURTAINS


Fullness	260%
Top Hem	100mm
Left - Right Hem	40mm
Bottom Hem	80mm



Pinch With Eyelet Curtains



Top Hem



Side & Bottom Hem



Lining is going towards the bottom Hem


Section View



Front Side Hidden Stitch



Panel Joining (Over Locked)



Tape - 100mm

### Note:

The distance between the eyelets varies depending on the width of the curtains

### WAVE CURTAINS


Fullness	200% - 260%
Top Hem	80mm
Left - Right Hem	40mm
Bottom Hem	80mm



Easy Wave Curtains



Top Hem



Side & Bottom Hem



Lining is going towards the bottom Hem


Section View




Front Side Hidden Stitch



Panel Joining (Over Locked)



Components



Tape - 75mm


**Note:**

The Top Belt has a 50mm inner folding with a gap from the top of the hem to the start of the tape, which is 5mm (See Fig. 1) The tape is 75mm(See Fig. 2)

### WAVE CURTAIN

Measurement Type	KS / BS (Corded & Non-Corded)	CS / SS (Corded & Non-Corded)	Glydea
Track & Bracket Deduction (visible track)	20mm (bracket + track)	25mm (bracket + track)	35mm (bracket + track)
Hem to Hem (fabric only, excludes track)	No deduction	No deduction	No deduction
Recess Deduction – Visible Track (track deduction + 10mm from floor)	30mm (bracket + track + 10mm floor)	35mm (bracket + track + 10mm floor)	45mm (bracket + track + 10mm floor)

Curtain Header Depth	200%	260%
Wave Curtain – 6cm Runner Space	11cm header depth	13.5cm header depth
Wave Curtain – 8cm Runner Space	11cm header depth	14cm header depth




## CURTAIN MEASUREMENT DEDUCTIONS GUIDE

### DOUBLE & TRIPLE PINCH / PENCIL PLEAT CURTAIN


#### KS / BS (CORDED & NON-CORDED)

Track & Bracket Deduction (+3mm gap below track)	23mm (bracket + track + 3mm)
Hem to Hem (fabric only, excludes track)	No deduction
Recess Deduction - Visible Track (track deduction + 10mm from floor)	33mm (bracket + track + 3mm gap + 10mm floor)
Recess Deduction - Hidden Track (10mm from floor)	10mm



#### CS / SS (CORDED & NON-CORDED)


Track & Bracket Deduction (+3mm gap below track)	28mm (bracket + track + 3mm)
Hem to Hem (fabric only, excludes track)	No deduction
Recess Deduction - Visible Track (track deduction + 10mm from floor)	38mm (bracket + track + 3mm gap + 10mm floor)
Recess Deduction - Hidden Track (10mm from floor)	10mm



# CURTAINS

## Technical Specifications

GLYDEA	
Track & Bracket Deduction (+3mm gap below track)	38mm (bracket + track + 3mm)
Hem to Hem (fabric only, excludes track)	No deduction
Recess Deduction - Visible Track (track deduction + 10mm from floor)	48mm (bracket + track + 3mm gap + 10mm floor)
Recess Deduction - Hidden Track (10mm from floor)	10mm







**Note:** "Hem to Hem" refers to the fabric length only, track height is excluded.  
 A 5mm tolerance applies to all the above measurements  
 If Recess is selected as the measurement type, 10mm will be reduced from the track width.

# CURTAINS

## Technical Specifications

### MASTER CARRIER OPTIONS

Master Carrier	Size	Track Compatability	
KS/CS Platsic Overlap	80mm	KS/BS CS/SS	 <p>The diagram shows a white carrier with a red circle highlighting the carrier mechanism. Below it, a track with blue rollers is shown with a white bar overlapping by 80mm, indicated by a red double-line arrow and the text '80mm'.</p>
Glydea Overlap	100mm	Glydea	 <p>The diagram shows a white carrier with a red circle highlighting the carrier mechanism. Dimensions are shown: 28mm, 18mm, 16mm, 24mm, and 7mm. Below it, a track with blue rollers is shown with a white bar overlapping by 100mm, indicated by a red double-line arrow and the text '100mm'.</p>
CS Aluminium Overlap	80mm	CS/SS	 <p>The diagram shows a white carrier with a red circle highlighting the carrier mechanism. Below it, a track with blue rollers is shown with a white bar overlapping by 80mm, indicated by a red double-line arrow and the text '80mm'.</p>
Prolonged Overlap Arm	150mm	CS/SS/Glydea	 <p>The diagram shows a white carrier with a red circle highlighting the carrier mechanism. Below it, a track with blue rollers is shown with a white bar overlapping by 150mm, indicated by a red double-line arrow and the text '150mm'.</p>

### MASTER CARRIER OPTIONS

Master Carrier	Size	Track Compatability	
<b>Z Overlap</b>	175mm	CS/SS/Glydea	
<b>Wave Curved Arm Master Carrier</b>	No overlap	CS/SS/Glydea	
<b>Wave 90 degree Master Carrier</b>	No overlap	KS/BS CS/SS Glydea	

### WAND OPTIONS

Curtain Wand	Length
White Wand	1.5m
White Wand	2m
Clear Wand	1.5m



**Innov8 Products FZC**  
**Area M6 - 10 SAIF Zone, Sharjah,**  
**United Arab Emirates**



**Phone: +971 6557 8051**



**Email: [sales@blindtex.com](mailto:sales@blindtex.com)**



**Web: [www.blindtex.com](http://www.blindtex.com)**

### **Blindtex UK**

4B Wigan Road,  
Bolton, Lancashire,  
BL3 5PZ - UK

**Tel:** +44 120 495 4999

**Web:** [www.blindtex.co.uk](http://www.blindtex.co.uk)

**Email:** [sales@blindtex.co.uk](mailto:sales@blindtex.co.uk)

### **Blindtex BAHRAIN**

Office No. 728, Building No. 33,  
Road No. 1802, Block No. 318  
Exhibition road, Kingdom of Bahrain

**Tel:** +973 3222 0440

**Web:** [www.blindtex.bh](http://www.blindtex.bh)

**Email:** [bahrain@blindtex.com](mailto:bahrain@blindtex.com)